


1Fw



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
 United States Patent and Trademark Office  
 Address: COMMISSIONER FOR PATENTS  
 P.O. Box 1450  
 Alexandria, Virginia 22313-1450  
 www.uspto.gov

APPLICATION NUMBER	FILING OR 371 (c) DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10/817,090	04/02/2004	Ryoji Sakiyama	40030045-02

Paul D. Greeley, Esq.  
 Ohlandt, Greeley, Ruggiero & Perle, L.L.P.  
 10th Floor  
 One Landmark Square  
 Stamford, CT 06901-2682

**RECEIVED**

JUN 23 2004

OHLANDT, GREELEY  
 RUGGIERO & PERLE, LLP

CONFIRMATION NO. 6084

FORMALITIES LETTER



\*OC000000013017225\*

Date Mailed: 06/21/2004

**NOTICE TO FILE CORRECTED APPLICATION PAPERS*****Filing Date Granted***

An application number and filing date have been accorded to this application. The application is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given TWO MONTHS from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a).

The required item(s) identified below must be timely submitted to avoid abandonment:

- Replacement drawings in compliance with 37 CFR 1.84 and 37 CFR 1.121 are required. The drawings submitted are not acceptable because:
  - Numbers, letters, and reference characters on the drawings must measure at least 0.32 cm (1/8 inch) in height. See Figure(s) 1-5.

Replies should be mailed to: Mail Stop Missing Parts  
 Commissioner for Patents  
 P.O. Box 1450  
 Alexandria VA 22313-1450

*A copy of this notice **MUST** be returned with the reply.*

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 1 - ATTORNEY/APPLICANT COPY



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
 United States Patent and Trademark Office  
 Address: COMMISSIONER FOR PATENTS  
 P.O. Box 1450  
 Alexandria, Virginia 22313-1450  
 www.uspto.gov

APPLICATION NUMBER	FILING OR 371 (c) DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10/817,090	04/02/2004	Ryoji Sakiyama	40030045-02

Paul D. Greeley, Esq.  
 Ohlandt, Greeley, Ruggiero & Perle, L.L.P.  
 10th Floor  
 One Landmark Square  
 Stamford, CT 06901-2682

CONFIRMATION NO. 6084

## FORMALITIES LETTER



\*OC000000013017225\*

Date Mailed: 06/21/2004

## NOTICE TO FILE CORRECTED APPLICATION PAPERS

*Filing Date Granted*

An application number and filing date have been accorded to this application. The application is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given TWO MONTHS from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a).

The required item(s) identified below must be timely submitted to avoid abandonment:

- Replacement drawings in compliance with 37 CFR 1.84 and 37 CFR 1.121 are required. The drawings submitted are not acceptable because:
  - Numbers, letters, and reference characters on the drawings must measure at least 0.32 cm (1/8 inch) in height. See Figure(s) 1-5.

Replies should be mailed to: Mail Stop Missing Parts  
 Commissioner for Patents  
 P.O. Box 1450  
 Alexandria VA 22313-1450

*A copy of this notice **MUST** be returned with the reply.*

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Ryoji Sakiyama  
Serial No.: 10/817,090  
For: NARROW-BAND AMPLIFIER AND IMPEDANCE-MEASURING APPARATUS  
Filed: April 2, 2004  
Group Art Unit: 2817  
Confirmation No.: 6084  
Customer No.: 27,623 Attorney Docket No.: 40030045-02

Mail Stop Missing Parts  
COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, VA 22313-1450


Dear Sir:

We are enclosing:

1. Response to Notice to File Corrected Papers and (5 sheets) of Drawings;
2. Notice to File Corrected Application Papers;
3. Submission of Priority Document and document no. JP 2003-112671;
4. Transmittal letter in duplicate; and
5. Postcard.

Please charge any additional fees or credit any overpayment, if necessary to Deposit Account No. **01-0467** in the name of Ohlandt, Greeley, Ruggiero & Perle. A duplicate copy of this form is enclosed.

Respectfully submitted,



Date: August 16, 2004

Paul D. Greeley  
Registration No. 31,019  
Attorney for Applicant  
Ohlandt, Greeley, Ruggiero & Perle, L.L.P.  
One Landmark Square, 10th Floor  
Stamford, CT 06901-2682  
(203) 327-4500

**CERTIFICATE OF MAILING**

I HEREBY CERTIFY THAT THIS CORRESPONDENCE IS BEING DEPOSITED WITH THE U.S. POSTAL SERVICE AS FIRST CLASS MAIL IN AN ENVELOPE ADDRESSED TO: MAIL STOP MISSING PARTS, COMMISSIONER FOR PATENTS, P.O. BOX 1450, ALEXANDRIA, VA 22313-1450 ON AUGUST 16, 2004.

Allison Berkman  
NAME

  
SIGNATURE

8/16/04  
DATE

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Ryoji Sakiyama

Serial No.: 10/817,090

For: NARROW-BAND AMPLIFIER AND IMPEDANCE-MEASURING APPARATUS

Filed: April 2, 2004

Group Art Unit: 2817

Confirmation No.: 6084

Customer No.: 27,623

Attorney Docket No.: 40030045-02

Mail Stop Missing Parts  
COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, VA 22313-1450


**RESPONSE TO FILE CORRECTED APPLICATION PAPERS**

Dear Sir:

To comply with the Notice to File Corrected Application Papers, we are enclosing formal drawings (5 sheets) for Figures 1 through 5 for the above-identified patent application, which comply with the requirements set forth in the Notice.

Please charge any additional fees or credit any such fees, if necessary to Deposit Account No. **01-0467** in the name of Ohlandt, Greeley, Ruggiero & Perle. A duplicate copy of this sheet is attached.

Respectfully submitted,



Paul D. Greeley  
Registration No. 31,019  
Ohlandt, Greeley, Ruggiero & Perle, L.L.P.  
One Landmark Square, 10th Floor  
Stamford, Connecticut 06901-2682  
(203) 327-4500

Date: August 16, 2004